Author Index

AIDA Y. *see* YAGAWA K.

ALLEN C. & HOGG N. Monocytes and other infiltrating cells in human colorectal tumours identified by monoclonal antibodies, 289

ALLEN J.R. *see* NITHIUTHAI S.

ANDREWS P. *see* BURNS G.F.

ANDRIGHETTO G. *see* ZÖLLER M.

AOYAMA T. *see* IKEHARA S.

APPLETON J.A. & MCGREGOR D.D. Life-phase specific induction and expression of rapid expulsion in rats suckling *Trichinella spiralis*-infected dams, 225

ASHERSON G.L. *see* LITTLE J.A.

ASKONAS B.A. *see* PALA P.

ATHERTON M.C., MCLACHLAN S.M., PEGG C.A.S., DICKINSON A., BAYLIS P., YOUNG E.T., PROCTOR S.J. & REES SMITH B. Thyroid autoantibody synthesis by lymphocytes from different lymphoid organs: fractionation of B cells on density gradients, 271

BACH M.A. *see* LEVITT D.

BALLESTRERO A. *see* DALLEGRI F.

BALOW J.E. *see* TSOKOS G.C.

BATTYE F.L. *see* LÓPEZ A.F.

BAYLIS P. *see* ATHERTON M.C.

BEFUS A.D. *see* LEE T.D.G.

BELCH J.J.F. *see* SANDILANDS G.P.

BERG T. *see* SKOGH T.

BICE D.E. *see* HILLAM R.P.

BIENENSTOCK J. *see* LEE T.D.G.

BITTER-SUERMANN D. *see* MAUER-GROSS U.

BLADÉ J. *see* GALLART T.

BLEASDALE K.M. *see* DEVEY M.E.

BLOMHOFF R. *see* SKOGH T.

BOND A. *see* THANAVALA Y.M.

BONNEVILLE M. *see* SFAKSI A.

BORASCHI D. *see* GHIARA P.

BOREL J.F. *see* HIESTAND P.C.

BOYD A.W. *see* BURNS G.F.

BRANDON M.R. *see* MACKAY C.R.

BRANDON M.R. *see* MACKAY J.F.

BRANDON M.R. *see* MADDOX J.F.

BRITTLE M.P., JACOB M.C. & GOMER K.J. Induced type-B reticulum cell neoplasia of CBA mice. II. Functional similarities between tumorigenic reticulum cells and normal accessory cells, 663

BRON C. *see* COLOMBATTI M.

BROWN I.N. *see* DOCKRELL H.M.

BROWN W.R. *see* TAMARU T.

BUCHANAN R.R.C. *see* MORGAN A.

BULMER J.N. & JOHNSON P.M. Immunohistological characterization of the decidual leucocytic infiltrate related to endometrial gland epithelium in early human pregnancy, 35

BURGER R. *see* MAUER-GROSS U.

BURNS G.F., BOYD A.W., WERKMEISTER J.A., TRIGLIA T. & ANDREWS P. Antibodies to the T3 antigen complex on human T cells render thymocytes unresponsive to mitogen, 1

CAMPBELL P.A. *see* CZUPRYNSKI C.J.

CANONO B.P. *see* CZUPRYNSKI C.J.

CARTER C.J. *see* KLAUS G.G.B.

CATS A. *see* DOEKES G.

CHANG M.-P. *see* INAMIZU T.

COLDITZ I.G. Kinetics of tachyphylaxis to mediators of acute inflammation, 149

COLIZZI V. *see* LITTLE J.A.

COLOMBATTI M. & BROWN C. Sensitivity of target cells to immunotoxins: possible role of cell-surface antigens, 331

COX K.O. & HARDY S.J. Autoantibodies against mouse bromelain-modified RBC are specifically inhibited by a common membrane phospholipid, phosphatidylcholine, 263

CZUPRYNSKI C.J., CANONO B.P., HENSON P.M. & CAMPBELL P.A. Genetically determined resistance to listeriosis is associated with increased accumulation of inflammatory neutrophils and macrophages which have enhanced listericidal activity, 511

DAHA M.R. *see* DOEKES G.

DALLEGRI F., BALLESTRERO A., FRUMENTO G. & PATRONE F. Erythrocyte lysis by PMA-triggered neutrophil polymorphonuclears: evidence for a hypochlorous acid-dependent process, 639

DARLING D. *see* JOHNSTONE A.P.

DAWSON J.R. *see* SHAU H.

DELESPESSE G. *see* RECTOR E.

DEPLEDGE P. *see* DOCKRELL H.M.

DESLAURIERS N., NÉRON S. & MOURAD W. Immunobiology of the oral mucosa in the mouse, 391

DEVEY M.E., BLEASDALE K.M., FRENCH M.A.H. & HARRISON G. The IgG4 subclass is associated with a low affinity antibody response to tetanus toxoid in man, 565

DICKINSON A. *see* ATHERTON M.C.

DIJKSTRA C.D., VAN VLIET E., DÖPP E.A., VAN DER LELIJ A.A. & KRAAL G. Marginal zone macrophages identified by a monoclonal antibody: characterization of immuno- and enzyme-histochemical properties and functional capacities, 23

DIKKEBOOM R., VAN DER KNAAP W.P.W., MEULEMAN E.A. & SMINIA T. A comparative study on the internal defence system of juvenile and adult *Lymnaea stagnalis*, 547

DJALDETTI M. *see* FISHMAN P.

DOCKRELL H.M., TAVERNE J., LELCHUK R., DEPLEDGE P., BROWN I.N. & PLAYFAIR J.H.L. Macrophage functions in Biozzi mice, 501

DOEKES G., SCHOUTEN J., CATS A. & DAHA M.R. Reduction of the complement activation capacity of soluble IgG aggregates and immune complexes by IgM-rheumatoid factor, 555
DÖPP E.A. *see* DIJKSTRA C.D.
DRAKE B.L. & RODGER J.C. The *in vitro* immunoregulatory properties of cultured murine trophoblast are not unique to this tissue, 325
DRAY S. *see* GANEA D.
DRESSER D.W. *see* HANCOCK R.J.T.
DUNCAN D. *see* RECTOR E.

EDWARDS J.A., JONES D.B., EVANS P.R. & SMITH J.L. Differential expression of HLA class II antigens on human fetal and adult lymphocytes and macrophages, 489
EKINO S., SUGINOHARA K., URANO T., FUJII H., MATSUNO K. & KOTANI M. The bursa of Fabricius: a trapping site for environmental antigens, 405
EL RIDI R. *see* FARAG M.A.
ESA A.H. & REISSIG M. Influences of nutrition on immunity and susceptibility to mouse hepatitis virus type 2, 539
Eskild W. *see* SKOGH T.
EVANS P.R. *see* EDWARDS J.A.

FARAG M.A. & EL RIDI R. Mixed leucocyte reaction (MLR) in the snake *Psammophis sibilans*, 173
FARUKI S. *see* HANCOCK R.J.T.
FISCHER J. *see* RECTOR E.
FISHMAN P., DJALDETTI M., HART J. & SREDNI B. Growth of human basophil lines derived from chronic myelocytic leukaemia cells *in vitro*: ultrastructure and X-ray microanalysis studies, 105
FORSLID J., HED J. & STENDAHL O. Erythrocyte enhancement of C3b-mediated phagocytosis by human neutrophils *in vitro*: a combined effect of the erythrocyte complement receptors CR1 and erythrocyte scavengers to reactive oxygen metabolites (ROM), 97
FREITAG W. & KNOP J. Inhibition of the anti-receptor antibody response of contact sensitivity by interferon, 281
FRENCH M.A.H. *see* DEVEY M.E.
FROEBEL K.S. *see* SANDILANDS G.P.
FRUMENTO G. *see* DALLEGRI F.
FUJII H. *see* EKINO S.
FUJII S. *see* IKEHARA S.

GALE J.M. *see* HIESTAND P.C.
GALLART T., BLADÉ J., MARTINEZ-QUESADA J., SIERRA J., ROZMAN C. & VIVES J. Multiple myeloma with monoclonal IgG and IgD of lambda type exhibiting, under treatment, a shift from mainly IgG to mainly IgD, 45
GALLILY R., ZEIRA M. & STAIN I. Thymus-derived macrophages in long-term culture: release of IL-1, stimulation of MLR and expression of tumoricidal activity, 165
GANEA D., TEODORESCU M. & DRAY S. Allogeneic lymphocyte stimulation in rabbits: induction of a low MW inhibitor for trypsin and for a concurrently induced α-macroglobulin–proteinase complex, 437
GARLAND J. *see* KINNAIRD A.
GHIARA P., BORASCHI D., VILLA L., SCAPIGLIATI G., TADDEI C. & TAGLIABUE A. *In vitro* generated mast cells express natural cytotoxicity against tumour cells, 317
GODDEERIS B.M. *see* TEALE A.J.
GOGOLIN-EWENS K.J. *see* MACKAY C.R.
GOMER K.J. *see* BRITTLE M.P.
GROOCOCK C.M. *see* TEALE A.J.
GUNN H.C. *see* HIESTAND P.C.

HADDING U. *see* MAUER-GROSS U.
HAMASHIMA Y. *see* IKEHARA S.
HANCOCK R.J.T., POPHAM A.M., FARUKI S. & DRESSER D.W. Increases in the numbers of immunoglobulin-secreting cells in lymph nodes responding to sperm and other stimuli: possible relationship to immunosuppression, 233
HARDIE D. *see* WALKER M.
HARDY S.J. *see* COX K.O.
HARRISON G. *see* DEVEY M.E.
HART J. *see* FISHMAN P.
HAUSMAN P.B. *see* SCHWAB R.
HAWKES D. *see* KIRBY J.
HAWRYLOWICZ C.M. *see* KLAUS G.G.B.
HAY F.C. *see* THANAVALA Y.M.
HAYASHI H. *see* MIBU Y.
HAYASHI H. *see* TASHIRO K.
HED J. *see* FORSLID J.
HENSON P.M. *see* CZUPRYNSKI C.J.
HIESTAND P.C., GUNN H.C., GALE J.M., RYFFEL B. & BOREL J.F. Comparison of the pharmacological profiles of cyclosporine, (Nva^2)-cyclosporine and (Val^2) dihydro-cyclosporine, 249
HIJMANS W. *see* LIGTHART G.J.
HILLAM R.P., BICE D.E. & MUGGENBURG B.A. Lung localization of antibody-forming cells stimulated in distant peripheral lymph nodes, 257
HIRASHIMA M. *see* TASHIRO K.
HOGG N. *see* ALLEN C.
HRABA T. *see* LITTLE J.A.
HUDSON L. *see* KIRBY J.
HYND J. *see* KIRBY J.

ICHINOSE Y. *see* YAGAWA K.
IKEHARA S., SHIMAMURA K., AOYAMA T., FUJII S. & HAMASHIMA Y. Effect of FUT-175, a new synthetic protease inhibitor, on the development of lupus nephritis in (NZB × NZW) F_1 mice, 595
INAMIZU T., CHANG M.-P. & MAKINODAN T. Influence of age on the production and regulation of interleukin-1 in mice, 447
INGHIRAMI G. *see* TSOKOS G.C.
ISHIZAKA T. *see* LEE T.D.G.
ISTED K. *see* KIRBY J.

JACOB M.C. *see* BRITTLE M.P.
JAMES B.M.B. *see* LITTLE J.A.
JARRETT E.E.E. *see* MCMENAMIN C.
JEFFERIS R. *see* WALKER M.
JOHNSON P.M. *see* BULMER J.N.
JOHNSTONE A.P. & DARLING D. Some early events in the primary mitogenic stimulation of lymphocytes differ from later interleukin stimulation and other quiescence to growth activation systems, 685
JONES D.B. *see* EDWARDS J.A.
JURETIĆ A., JURETIĆ E., NAGY Z.A. & KLEIN J. Cytotoxic T-cell response to H-Y antigen by B6.C-H-2^{bm12} and B10.BR mice, 671
JURETIĆ E. *see* JURETIĆ A.

KAKINUMA M. & YAMAMOTO K. Strain differences in lung granuloma formation in response to a BCG cell-wall vaccine in mice. Demonstration of two types of low responders, 91
KAKU M. *see* YAGAWA K.
KAMADA N. The immunology of experimental liver transplantation in the rat, 369
KAMADA N. Transfer of specific immunosuppression of graft rejection using lymph from tolerant liver-grafted rats, 241
KAMADA N. & SHINOMIYA T. Clonal deletion as the mechanism of abrogation of immunological memory following liver grafting in rats, 85
KAPSENBERG M.L., STIEKEMA F. & LEENE W. Differential requirements for rabbit dendritic cells and macrophages in T lymphocyte proliferation induced by various mitogens, 301
KATO K. *see* YAMAMOTO K.
KIMURA T. *see* YAMAMOTO K.
KINNAIRD A. & GARLAND J. Stimulation of interleukin-3 dependent cell growth by specific antibody, 457
KIRBY J., WOOD A., READER J., ISTED K., HYND J., HAWKES D., HUDSON L. & PEPPER J. Origin and immunological hyporeactivity of canine alveolar lymphocytes, 531
KLAUS G.G.B., HAWRYLOWICZ C.M. & CARTER C.J. Activation and proliferation signals in mouse B cells. VI. Anti-Ig antibodies induce dose-dependent cell cycle progression in B cells, 411
KLEIN J. *see* JURETIĆ A.
KNOP J. *see* FREITAG W.
KÖNIG W. *see* RAULF M.
KORS N. *see* VAN ROOIJEN N.
KOTANI M. *see* EKINO S.
KRAAL G. *see* DIJKSTRA C.D.

LAMBRIS J.D. *see* TSOKOS G.C.
DE LANGE G. *see* WALKER M.
LEE T.D.G., SHANAHAN F., MILLER H.R.P., BIENENSTOCK J. & BEFUS A.D. Intestinal mucosal mast cells: isolation from rat lamina propria and purification using unit gravity velocity sedimentation, 721
LEE T.D.G., STERK A., ISHIZAKA T., BIENENSTOCK J. & BEFUS A.D. Number and affinity of receptors for IgE on enriched populations of isolated rat intestinal mast cells, 363
LEENE W. *see* KAPSENBERG M.L.
LELCHUK R. *see* DOCKRELL H.M.
VAN DER LELIJ A.A. *see* DIJKSTRA C.D.
LESLIE G.A. *see* STEELE M.G.
LESTOURGEON D. *see* RECTOR E.
LEVITT D. & BACH M.A. *In vivo* polyclonal stimulation of antibody secretion by two types of bacteria, 621
LEW A.M. *see* MORGAN A.
LIGTHART G.J., SCHUIT H.R.E. & HIJMANS W. Subpopulations of mononuclear cells in ageing: expansion of the null cell compartment and decrease in the number of T and B cells in human blood, 15
LING N.R. *see* WALKER M.
LITTLE J.A., ASHERSON G.L., COLIZZI V., JAMES B.M.B. & HRABA T. Two-chain disulphide-bonded structure of antigen-specific T-helper factor: both chains are necessary for activity and their interaction is I-A restricted, 713
LÓPEZ A.F., BATTYE F.L. & VADAS M.A. Fc receptors on mouse neutrophils and eosinophils: antigenic characteristics, isotype specificity and relative cell membrane density measured by flow cytometry, 125
LOWE J. *see* WALKER M.

MCGREGOR D.D. *see* APPLETON J.A.
MACKAY C.R., MADDOX J.F., GOGOLIN-EWENS K.J. & BRANDON M.R. Characterization of two sheep lymphocyte differentiation antigens, SBU-T1 and SBU-T6, 729
MACKAY C.R. *see* MADDOX J.F.
MCLACHLAN S.M. *see* ATHERTON M.C.
MCMENAMIN C., JARRETT E.E.E. & SANDERSON A. Surface phenotype of T cells producing growth of mucosal mast cells in normal rat bone marrow culture, 399
MACSWEEN R.N.M. *see* SANDILANDS G.P.
MADDOX J.F., MACKAY C.R. & BRANDON M.R. Surface antigens, SBU-T4 and SBU-T8, of sheep T lymphocyte subsets defined by monoclonal antibodies, 739
MADDOX J.F., MACKAY C.R. & BRANDON M.R. The sheep analogue of leucocyte common antigen (LCA), 347
MADDOX J.F. *see* MACKAY C.R.
MAKINODAN T. *see* INAMIZU T.
MARBROOK J. *see* SKINNER M.A.
MARKER O. *see* RANDRUP THOMSEN A.
MARTINEZ-QUESADA J. *see* GALLART T.
MASUDA T. *see* SUZUKI T.
MATSUNO K. *see* EKINO S.
MAUER-GROSS U., VON STELDERN D., HADDING U., BITTER-SUERMANN D. & BURGER R. Cell surface antigens on the guinea-pig macrophage: identification by monoclonal antibodies and association with the activation state, 519
MAZUR S. *see* WŁODARSKI K.
MEULEMAN E.A. *see* DIKKEBOOM R.
MIBU Y., SHIMOKAWAY Y. & HAYASHI H. Lymphocyte chemotaxis in inflammation. X. Heterogeneity of chemotactic responsiveness in human T subsets towards lymphocyte chemotactic factors from delayed hypersensitivity reaction site, 473
MILLER H.R.P. *see* LEE T.D.G.
MITCHELL R.S. *see* RECTOR E.
MIYAMA-INABA M. *see* SUZUKI T.
MORGAN A., BUCHANAN R.R.C., LEW A.M., OLSEN I. & STAINES N.A. Five groups of antigenic determinants on DNA identified by monoclonal antibodies from (NZB × NZW) F_1 and MRL/Mp-*lpr*/*lpr* mice, 75
MORRISON W.I. *see* TEALE A.J.
MOURAD W. *see* DESLAURIERS N.
MUGGENBURG B.A. *see* HILLAM R.P.

NAGATA I. *see* SUZUKI T.
NAGY Z.A. *see* JURETIĆ A.
NAKAJIMA T. *see* RECTOR E.
NÉRON S. *see* DESLAURIERS N.
NITHIUTHAI S. & ALLEN J.R. Langerhans cells present tick antigens to lymph node cells from tick-sensitized guinea-pigs, 157
NOWOROLSKI J. *see* PITUCH-NOWOROLSKA A.

OLSEN I. *see* MORGAN A.

PALA P. & ASKONAS B.A. Induction of K^b-restricted anti-influenza cytotoxic T cells in C57BL mice: importance of stimulator cell type and immunization route, 601

PARK Y.-H. *see* SUZUKI T.
PATRONE F. *see* DALLEGRI F.
PEEL M.G. *see* SANDILANDS G.P.
PEGG C.A.S. *see* ATHERTON M.C.
PEPPER J. *see* KIRBY J.
PITUCH-NOWOROLSKA A., NOWOROLSKI J., PRYJMA J. & ZEMBALA M. The role of shed Fc receptor in the regulation of lymphocyte response to phytohaemagglutinin (PHA), 693
PLAYFAIR J.H.L. *see* DOCKRELL H.M.
POPHAM A.M. *see* HANCOCK R.J.T.
PRESTIDGE R. *see* SKINNER M.A.
PROCTOR S.J. *see* ATHERTON M.C.
PRYJMA J. *see* PITUCH-NOWOROLSKA A.

RANDRUP THOMSEN A., VOLKERT M. & MARKER O. Different isotype profiles of virus-specific antibodies in acute and persistent lymphocytic choriomeningitis virus infection in mice, 213
RAULF M., STÜNING M. & KÖNIG W. Metabolism of leukotrienes by L-γ-glutamyl-transpeptidase and dipeptidase from human polymorphonuclear granulocytes, 135
READER J. *see* KIRBY J.
RECTOR E., NAKAJIMA T., ROCHA C., DUNCAN D., LESTOURGEON D., MITCHELL R.S., FISCHER J., SEHON A.H. & DELESPESSE G. Detection and characterization of monoclonal antibodies specific to IgE receptors on human lymphocytes by flow cytometry, 481
REES SMITH B. *see* ATHERTON M.C.
REID K.B.M. Application of molecular cloning to studies on the complement system, 185
REISSIG M. *see* ESA A.H.
RINNOOY-KAN E. *see* SCHWAB R.
ROCHA C. *see* RECTOR E.
RODGER J.C. *see* DRAKE B.L.
ROITT I.M. *see* THANAVALA Y.M.
VAN ROOIJEN N. & KORS N. Mechanism of follicular trapping: double immunocytochemical evidence for a contribution of locally produced antibodies in follicular trapping of immune complexes, 31
ROZMAN C. *see* GALLART T.
RYCHLIK G. *see* WŁODARSKI K.
RYFFEL B. *see* HIESTAND P.C.

SAJI H. *see* SUZUKI T.
SAKATA K. *see* TASHIRO K.
SANDERSON A. *see* MCMENAMIN C.
SANDILANDS G.P., PEEL M.G., FROEBEL K.S., BELCH J.J.F. & MACSWEEN R.N.M. Isolation of labile Fcγ-receptors from human peripheral blood lymphocytes and production of an antiserum, 7
SCAPIGLIATTI G. *see* GHIARA P.
SCHOUTEN J. *see* DOEKES G.
SCHUIT H.R.E. *see* LIGTHART G.J.
SCHWAB R., HAUSMAN P.B., RINNOOY-KAN E. & WEKSLER M.E. Immunological studies of ageing. X. Impaired T lymphocytes and normal monocyte response from elderly humans to the mitogenic antibodies OKT3 and Leu 4, 677
SEHON A.H. *see* RECTOR E.
SFAKSI A., BONNEVILLE M. & SOULILLOU J.P. Cellular immune response in rnu/rnu rats. I. Lectin responsiveness and IL-2 production kinetics of natural cytotoxicity and spleen-cell surface marker expression, 655
SHANAHAN F. *see* LEE T.D.G.
SHAU H. & DAWSON J.R. Regulation of human natural killing by lysosomotropic and thiol-reactive agents, 647
SHIMAMURA K. *see* IKEHARA S.
SHIMOKAWAY Y. *see* MIBU Y.
SHINOMIYA T. *see* KAMADA N.
SIERRA J. *see* GALLART T.
SKINNER M.A., PRESTIDGE R. & MARBROOK J. The analysis of an anti-fluorescein response at limit dilution: the effect of lymphokine preparations on the apparent specificity, 463
SKOGH T., BLOMHOFF R., ESKILD W. & BERG T. Hepatic uptake of circulating IgG immune complexes, 585
SLAVIN S. *see* TUTT A.L.
SMINIA T. *see* DIKKEBOOM R.
SMITH J.L. *see* EDWARDS J.A.
SOULILLOU J.P. *see* SFAKSI A.
SPOONER R.L. *see* TEALE A.J.
SREDNI B. *see* FISHMAN P.
STAGG D.A. *see* TEALE A.J.
STAIN I. *see* GALLILY R.
STAINES N.A. *see* MORGAN A.
STEELE M.G. & LESLIE G.A. Immunoglobulin D in rat serum, saliva and milk, 571
VON STELDERN D. *see* MAUER-GROSS U.
STENDAHL O. *see* FORSLID J.
STERK A. *see* LEE T.D.G.
STEVENSON F.K. *see* TUTT A.L.
STEVENSON G.T. *see* TUTT A.L.
STIEKEMA F. *see* KAPSENBERG M.L.
STÜNING M. *see* RAULF M.
SUGINOHARA K. *see* EKINO S.
SUZUKI T., PARK Y.-H., MIYAMA-INABA M., MASUDA T., SAJI H., NAGATA I. & UCHINO H. A novel lymphokine derived from human IgG Fc receptor-bearing B cells: its suppressive effect on activated T and B lymphocytes including tumour cells *in vitro*, 427

TADDEI C. *see* GHIARA P.
TAGLIABUE A. *see* GHIARA P.
TAMARU T. & BROWN W.R. IgA antibodies in rat bile inhibit cholera toxin-induced secretion in ileal loops *in situ*, 579
TASHIRO K., SAKATA K., HIRASHIMA M. & HAYASHI H. The regulation of tissue eosinophilia. III. *In vitro* production of eosinophil-directed chemotactic inhibitory factor by T lymphocytes of complete Freund's adjuvant-treated guinea-pigs, 115
TAVERNE J. *see* DOCKRELL H.M.
TEALE A.J., MORRISON W.I., GODDEERIS B.M., GROOCOCK C.M., STAGG D.A. & SPOONER R.L. Bovine alloreactive cytotoxic cells generated *in vitro*: target specificity in relation to BoLA phenotype, 355
TEDDER R. *see* THANAVALA Y.M.
TEODORESCU M. *see* GANEA D.
THANAVALA Y.M., BOND A., TEDDER R., HAY F.C. & ROITT I.M. Monoclonal 'internal image' anti-idiotypic antibodies of hepatitis B surface antigen, 197
TOMODA A. *see* YAGAWA K.
TRIGLIA T. *see* BURNS G.F.
TSOKOS G.C., INGHIRAMI G., TSOUKAS C.D., BALOW J.E. & LAMBRIS J.D. Regulation of immunoglobulin secretion by Factor H of human complement, 419
TSOUKAS C.D. *see* TSOKOS G.C.
TUTT A.L., STEVENSON F.K., SLAVIN S. & STEVENSON G.T.

Secretion of idiotypic IgM by the mouse B-cell leukaemia (BCL_1) occurs spontaneously *in vitro* and *in vivo*, 59

UCHINO H. *see* SUZUKI T.
URANO T. *see* EKINO S.

VADAS M.A. *see* LÓPEZ A.F.
VAN DER KNAAP W.P.W. *see* DIKKEBOOM R.
VILLA L. *see* GHIARA P.
VIVES J. *see* GALLART T.
VAN VLIET E. *see* DIJKSTRA C.D.
VOLKERT M. *see* RANDRUP THOMSEN A.

WALKER M., HARDIE D., LOWE J., LING N.R., DE LANGE G. & JEFFERIS R. Immunogenicity and antigenicity of immunoglobulins. XII. Intact light chain and heavy chain isotype-restricted V_K-associated epitopes, 205
WEKSLER M.E. *see* SCHWAB R.
WERKMEISTER J.A. *see* BURNS G.F.
WITKOWSKI J. The influence of the membrane sodium pump activity on the ability of human peripheral blood lymphocytes to form early rosettes with SRBC, 339
WLODARSKI K., RYCHLIK G. & MAZUR S. Lymphatic mast cells in response to *in vitro* stimulation by non-specific T-cell mitogens, 311
WOLF B. & YARMUSH M.L. Cosuppression of latent and nominal allotypes in individual rabbit lymphocytes, 65
WOOD A. *see* KIRBY J.

YAGAWA K., KAKU M., ICHINOSE Y., AIDA Y. & TOMODA A. Fc receptor-mediated desensitization of superoxide (O_2^-) generation response of guinea-pig macrophages and polymorphonuclear leucocytes, 629
YAMAMOTO K., KATO K. & KIMURA T. Killed *Listeria*-induced suppressor T cells involved in suppression of delayed-type hypersensitivity and protection against *Listeria* infection, 609
YAMAMOTO K. *see* KAKINUMA K.
YARMUSH M.L. *see* WOLF B.
YOUNG E.T. *see* ATHERTON M.C.

ZEIRA M. *see* GALLILY R.
ZEMBALA M. *see* PITUCH-NOWOROLSKA A.
ZÖLLER M. & ANDRIGHETTO G. Limiting dilution analysis of the frequencies of helper and suppressor T cells in untreated and TNP-treated BALB/c mice: response as a consequence of perturbation of a stable steady state, 703

Subject Index

Accessory cells:
in T-cell proliferation, 301
Activation of mouse B cells, 411
Acute inflammation:
kinetics of tachyphylaxis, 149
Age:
effect on IL-1 production and regulation, 447
Ageing:
impaired lymphocyte responses in elderly humans, 677
subpopulations of mononuclear cells, 15
Allogeneic lymphocyte stimulation, 437
Allotypes:
cosuppression of latent and nominal, 65
Alveolar lymphocytes:
canine, origin and immunological hyporeactivity, 531
Anti-fluorescein response:
effect of lymphokine, 463
Antigen-specific T-helper factor:
structure and activity, 713
Anti-idiotypic antibodies:
monoclonal, internal image, of HBsAg, 197
Anti-receptor antibody:
inhibition by interferon, 281
Autoantibodies to RBC:
inhibited by phosphatidylcholoine, 263

B cells:
activation and proliferation signals, 411
Biozzi mice:
macrophage functions, 501
Bovine alloreactive cytotoxic cells:
target specificity and BoLA phenotype, 355
Bursa of Fabricius:
site for trapping and environmental antigens, 405

C1 activation:
inhibition by IgM-rheumatoid factor, 555
C3b-mediated phagocytosis:
enhancement by erythrocytes, 97
Cellular immune responses:
in rnu/rnu rats, 655
Clonal deletion:
mechanism of abrogation of memory after liver grafting, 85
Colorectal tumours:
infiltrating cells identified by monoclonal antibodies, 289
Complement system:
application of molecular cloning, 185
Cyclosporine:
pharmacological profiles of nor-valine^2 cyclosporine and valine^2 dihydro-cyclosporine, 249
Cytotoxic T cells:
K^b-restricted, influenza-specific, 601
response to H-Y antigen, 671

Decidual leucocyte infiltrate:
related to human endometrial gland epithelium, 35
Differentiation antigens of sheep lymphocytes:
characterization, 729
DNA:
antigenic determinants, identified by monoclonal antibodies, 75

Environmental antigens:
trapping by bursa of Fabricius, 405
Eosinophilia:
regulation, 115
Eosinophilia-directed chemotactic inhibitory factor:
in vitro production, 115

Factor H:
regulation of immunoglobulin secretion, 419
Fc receptors:
on mouse neutrophils and eosinophils, 125
role of shed receptor in regulation of lymphocyte response to PHA, 693
Fc_ε receptors:
on mucosal intestinal mast cells, 363
Fcγ-receptors:
human, isolation, antibodies to, 7
FcR-mediated desensitization of phagocytes for O_2^- generation, 629
Follicular trapping of immune complexes:
contribution of locally produced antibodies, 31

Genetically controlled resistance:
to listeriosis, 511
Graft rejection:
immunosuppression of, using lymph from tolerant liver-grafted rats, 241
Helper and suppressor T cells:
frequency, 703
Hepatic uptake of circulating immune complexes, 585
Hepatitis virus type 2:
influence of nutrition on immunity and susceptibility to, in mice, 539
HLA class II antigens:
differential expression on fetal and adult lymphocytes and macrophages, 489
Human basophil lines:
ultrastructure and X-ray microanalysis, 105
Human NK:
regulation by lysosomotropic agents, 647
H-Y antigen:
cytotoxic T-cell response, 671

Idiotypic IgM:
secretion by the mouse B-cell leukaemia (BCL_1), 59
IgG4:
low affinity antibody to tetanus toxoid, 565
IgM-rheumatoid factor:
inhibition of C1 activation, 555
Ig-secreting cells in lymph nodes:
responding to sperm, 233
IL-3-dependent cells:
growth stimulated by antibodies, 457
IL-3-dependent mast cells:
natural cytotoxicity, 317
Immune complexes:
hepatic handling, 585
Immunobiology:
of the oral mucosa in the mouse, 391
Immunoglobulin A antibodies, in rat bile:
inhibition of cholera toxin-induced secretion in ileal loops, 579
Immunoglobulin D:
in rat serum, saliva and milk, 571
Immunoglobulin secretion:
regulation by human complement Factor H, 419
Immunosuppression:
of graft rejection, by lymph from tolerant liver-grafted rats, 241
Immunosuppressive lymphokine:
derived from human FcR-bearing B cells, 427
Immunotoxins:
sensitivity of target cells to role of cell-surface antigens, 331
Inflammation:
in genetic resistance to *Listeria*, 511
in lymphocyte chemotaxis, 473
Influenza-specific Tc cells:
K^b restricton, 601
Interferon:
inhibition of anti-receptor antibody response of contact sensitivity, 281
Interleukin-2:
influence of age on production and regulation, 447
Internal image anti-idiotypic antibodies of HBsAg, 197
Intestinal mast cells:
isolation and purification, 721
Intestinal mucosal mast cells:
Fc_ε receptors, 363

Langerhans cells:
presentation of tick antigens to lymph node cells, 157
LCM virus infection:
isotype profiles of specific antibodies in acute and persistent infection, 213
Leucocyte common antigen:
sheep analogue, 347
Leukotrienes:
metabolism by L-γ-glutamyl-transpeptidase and dipeptidase, 135
Listeria infection:
suppressor T cells, 609
Listeriosis:
genetically determined resistance associated with inflammation, 511
Liver grafting:
abrogation of immunological memory by clonal deletion, 85
Liver transplantation:
immunology of, 369
Low affinity antibody:
IgG4 subclass, 565
Lung granuloma:
strain differences in formation in response to BCG cell-wall vaccine, 91
Lung localization of antibody-forming cells, 257
Lupus nephritis:
the effect of a synthetic protease inhibitor, 595
Lymnaea stagnalis:
internal defence of juvenile and adult, 547
Lymphatic mast cells:
response to T-cell mitogens, 311
Lymphocyte chemotaxis in inflammation, 473
Lymphocyte responses:
in elderly humans, 677
Lymphocyte stimulation:
by mitogens, interleukin and other activation systems, 685
Lysosomotropic agents:
regulation of human natural killing, 647

Macrophage functions:
in Biozzi mice, 501
Macrophages, thymus-derived:
functional activity, 165
Marginal zone macrophages:
characterization, 23
Mast cells *in vitro*:
natural cytotoxicity, 317
Membrane sodium pump:
influence on early rosette formation by peripheral blood lymphocytes, 339
MHC restriction, K^b:
of influenza-specific cytotoxic T cells, 601
Mixed leucocyte reaction:
in the snake, 173
Molecular cloning:
application to the complement system, 185
Monoclonal antibodies:
for detecting the infiltrating cells of human colorectal tumours, 289
to antigenic determinants on DNA, 75
to guinea-pig macrophage cell surface antigens, 519
to human lymphocyte receptors for IgE, 481
Mononuclear cells:
subpopulations in ageing, 15
Mouse B-cell leukaemia (BCL_1):
secretion of idiotypic IgM, 59
Mouse hepatitis virus type 2:
influence of nutrition and immunity on susceptibility to, 539
Mucosal mast cells:
growth factor produced by T cells, 399
Multiple myeloma:
change after treatment, 45
with monoclonal IgG and IgD of lambda type, 45

Nude (rnu/rnu) rats:
cellular immune responses, 655

Oral mucosa:
immunobiology, 391

Phorbol myristate acetate-triggered PMN:
erythrocyte lysis, 639
Phosphatidylcholine:
inhibition of autoantibodies to RBC, 263
Polyclonal antibody secretion:
stimulation by bacteria, 621
Protease inhibitor:
effect on lupus nephritis, 595

Rheumatoid factor:
inhibition of C1 activation, 555

Sheep lymphocyte differentiation antigens:
characterization, 729
Sheep T lymphocytes:
surface antigens defined, 739
Sperm:
Ig-secreting cells in lymph nodes responding to, 233
Superoxide (O_2^-) generation:
FcR-mediated desensitized, 629
Suppressor T cells:
in *Listeria* infection, 609
Surface antigens of sheep T lymphocytes, 739

T3 antigen complex:
antibodies to, render thymocytes unresponsive to mitogen, 1
Tachyphylaxis:
kinetics of, during acute inflammation, 149
T-cell proliferation:
differential requirements for accessory cells, 301
T cells:
surface phenotype, producing growth of mucosal mast cells, 399
T-helper factor:
antigen-specific, structure and activity, 713
Thymus-derived macrophages:
functional activity, 165
Thyroid autoantibody:
synthesis by lymphocytes from different lymphoid organs, 271
Transplantation:
immunology of liver transplantation, 369
Trichinella spiralis:
life-phase specific induction and expression of expulsion in suckling rats, 225
Trophoblast, murine:
in vitro immunoregulatory properties, 325
Type-B reticulum cell neoplasia:
in CBA mice, 663

V_K-associated epitopes:
light and heavy chain isotype restriction, 205